

**TAB OPzV RANGE**  
**CONSTANT CURRENT DISCHARGE DATA**

Ampers to 1,65 VPC ( at 20°C )											
TYPE	15min	30min	1 h	2 h	3 h	4 h	5 h	6 h	8h	10 h	20 h
4 OPzV 200	282	186	114	71,8	52,6	42	35,2	30,7	24,6	20,6	11,1
5 OPzV 250	312	223	143	89,8	65,8	52,5	44	38,3	30,8	25,8	14,5
6 OPzV 300	366	268	172	108	78,9	63	53,1	46	36,9	31	17,3
5 OPzV 350	400	290	197	127	93	74	63	54	44	36	20
6 OPzV 420	456	348	235	151	112	89	75	65	52	44	25
7 OPzV 490	496	391	274	176	131	104	88	76	61	51	29
6 OPzV 600	572	466	333	215	160	128	108	93	75	62	35
8 OPzV 800	896	658	460	287	213	170	144	124	100	83	47
10 OPzV 1000	1055	822	565	361	269	215	180	155	124	104	58
12 OPzV 1200	1176	956	682	431	318	258	215	186	149	125	70
12 OPzV 1500	1306	1104	810	533	401	324	274	238	188	157	86
16 OPsV 2000	1741	1472	1080	710	535	432	365	317	251	209	115
20 OPzV 2500	2177	1840	1350	888	669	540	457	397	313	261	144
24 OPzV 3000	2612	2208	1620	1066	803	647	548	476	376	313	172

Ampers to 1,70 VPC ( at 20°C )											
TYPE	15min	30min	1 h	2 h	3 h	4 h	5 h	6 h	8h	10 h	20 h
4 OPzV 200	259	179	104	70,4	52	41,5	34,9	30,4	24,5	20,6	11,1
5 OPzV 250	294	214	131	88	65	51,9	43,7	38	30,6	25,7	14,4
6 OPzV 300	342	257	156	106	78	62,4	52,6	45,7	36,7	30,9	17,3
5 OPzV 350	368	277	180	125	92	74	62	54	43	36	20
6 OPzV 420	410	323	213	148	110	88	75	65	52	43	25
7 OPzV 490	444	360	249	172	129	103	87	76	61	51	29
6 OPzV 600	516	429	305	211	158	126	107	93	74	62	35
8 OPzV 800	802	616	414	281	210	168	142	123	99	83	47
10 OPzV 1000	950	770	517	353	265	213	178	154	124	103	58
12 OPzV 1200	1048	872	610	422	313	255	214	185	148	124	70
12 OPzV 1500	1159	994	719	520	396	320	272	236	187	156	86
16 OPsV 2000	1545	1325	959	694	528	427	362	315	249	208	115
20 OPzV 2500	1932	1657	1199	867	660	534	453	394	312	260	143
24 OPzV 3000	2318	1988	1438	1041	792	641	543	472	374	312	172

Ampers to 1,75 VPC ( at 20°C )											
TYPE	15min	30min	1 h	2 h	3 h	4 h	5 h	6 h	8h	10 h	20 h
4 OPzV 200	232	167	102	69	50	41	34,6	30,1	24,3	20,4	11,1
5 OPzV 250	265	198	129	86,3	62,6	51,1	43,2	37,6	30,3	25,6	14,4
6 OPzV 300	305	238	153	104	75	61,3	51,8	45,1	36,4	30,7	17,2
5 OPzV 350	324	255	175	121	86	72	61	53	43	36	20
6 OPzV 420	359	291	208	142	105	87	74	64	52	43	24
7 OPzV 490	388	321	243	166	123	101	86	75	60	50	28
6 OPzV 600	443	384	297	203	150	124	105	91	74	62	35
8 OPzV 800	700	549	407	271	200	165	140	122	98	82	46
10 OPzV 1000	830	686	506	341	250	209	175	152	122	103	58
12 OPzV 1200	912	771	596	407	300	251	211	183	147	123	70
12 OPzV 1500	1005	873	699	500	372	315	268	233	185	155	86
16 OPsV 2000	1340	1164	932	667	496	420	357	311	247	207	114
20 OPzV 2500	1675	1455	1165	833	620	525	446	389	309	259	143
24 OPzV 3000	2010	1746	1398	1000	744	620	515	462	371	310	171

**TAB OPzV RANGE  
CONSTANT CURRENT DISCHARGE DATA**

Ampers to 1,80 VPC ( at 20°C )											
TYPE	15min	30min	1 h	2 h	3 h	4 h	5 h	6 h	8h	10 h	20 h
4 OPzV 200	202	154	103	67	48	38,703	33,9	29,6	24	20,4	11
5 OPzV 250	235	185	133	84,8	60	48,403	42,3	37	30	25,5	14,3
6 OPzV 300	270	215	155	101	72	58,103	50,8	44,4	36	30,6	17,1
5 OPzV 350	278	223	166	118	82	69	60	52	43	36	20
6 OPzV 420	307	255	197	135	100	82	72	63	51	43	24
7 OPzV 490	329	281	221	158	116	96	84	73	60	50	28
6 OPzV 600	374	335	267	193	141	117	102	90	73	61	35
8 OPzV 800	581	489	374	258	188	157	138	120	97	82	46
10 OPzV 1000	696	598	468	324	239	198	172	150	121	102	58
12 OPzV 1200	765	670	534	387	285	238	206	180	145	125	69
12 OPzV 1500	810	747	630	473	354	299	263	230	183	153	85
16 OPsV 2000	1080	996	840	630	462	398	350	306	244	204	113
20 OPzV 2500	1350	1245	1050	788	597	498	410	372	305	256	142
24 OPzV 3000	1620	1494	1260	945	702	597	500	450	366	306	170

Ampers to 1,85 VPC ( at 20°C )											
TYPE	15min	30min	1 h	2 h	3 h	4 h	5 h	6 h	8h	10 h	20 h
4 OPzV 200	167	131	93	61,3	45,8	37	31,6	27,6	22	18,5	10,2
5 OPzV 250	195	157	116	75,8	57,3	46,3	39,5	34,5	27,5	23,1	13,2
6 OPzV 300	221	183	135	90,7	68,7	55,5	47,4	41,4	33	27,8	15,8
5 OPzV 350	230	189	141	101	76	64	55	48	39	33	19
6 OPzV 420	245	209	164	118	92	76	65	57	47	39	23
7 OPzV 490	259	228	186	137	107	89	76	67	54	46	26
6 OPzV 600	299	272	221	168	131	109	93	82	67	56	32
8 OPzV 800	467	391	310	224	174	145	124	109	89	75	43
10 OPzV 1000	554	489	387	280	218	181	156	137	111	93	54
12 OPzV 1200	606	546	442	330	262	218	187	164	133	112	64
12 OPzV 1500	624	573	489	378	305	260	225	200	162	135	77
16 OPsV 2000	790	764	652	504	406	346	300	266	216	181	103
20 OPzV 2500	988	955	815	630	508	433	375	333	270	226	128
24 OPzV 3000	1185	1146	978	756	609	519	450	399	323	271	154

Ampers to 1,90 VPC ( at 20°C )											
TYPE	15min	30min	1 h	2 h	3 h	4 h	5 h	6 h	8h	10 h	20 h
4 OPzV 200	125	104	76	51,4	39,4	32,4	27,4	23,9	19,2	16,1	8,85
5 OPzV 250	146	125	94	63,5	49,3	40,5	34,3	29,9	24	20,1	11,6
6 OPzV 300	159	139	109	76	59,1	48,6	41,1	35,9	28,8	24,2	14
5 OPzV 350	166	146	111	82	64	53	46	41	33	28	17
6 OPzV 420	173	158	127	95	76	64	55	49	40	34	20
7 OPzV 490	181	168	142	110	89	75	65	57	47	40	23
6 OPzV 600	208	194	172	135	109	92	79	70	57	49	29
8 OPzV 800	317	289	244	180	145	122	106	93	76	65	38
10 OPzV 1000	376	356	305	225	181	153	132	116	95	81	48
12 OPzV 1200	409	378	332	263	216	183	158	139	114	97	57
12 OPzV 1500	428	405	370	296	245	210	184	165	139	117	67
16 OPsV 2000	550	540	506	394	326	280	246	220	185	156	90
20 OPzV 2500	688	675	633	493	408	350	307	275	231	195	112
24 OPzV 3000	825	810	759	591	489	420	369	330	278	234	134

**TAB OPzV RANGE  
CONSTANT POWER DISCHARGE DATA**

Watts to 1,65 VPC ( at 20°C )											
TYPE	15min	30min	1 h	2 h	3 h	4 h	5 h	6 h	8h	10 h	20 h
4 OPzV 200	484	328	203	130	96	77	65	57	46	39	21
5 OPzV 250	535	393	255	163	120	97	82	71	58	48	27
6 OPzV 300	628	472	307	196	144	116	99	86	69	58	33
5 OPzV 350	686	511	351	231	170	137	117	101	82	68	38
6 OPzV 420	782	613	419	274	204	165	140	122	98	82	46
7 OPzV 490	851	689	489	320	239	192	163	142	114	96	54
6 OPzV 600	982	821	594	391	292	236	201	174	140	117	66
8 OPzV 800	1538	1159	821	521	389	313	267	231	187	156	88
10 OPzV 1000	1810	1448	1008	656	491	396	334	289	232	195	110
12 OPzV 1200	2018	1684	1217	783	580	475	399	347	279	235	132
12 OPzV 1500	2241	1944	1445	968	732	597	509	444	352	295	162
16 OPzV 2000	2988	2592	1927	1290	976	796	678	591	470	392	216
20 OPzV 2500	3736	3240	2408	1613	1221	995	849	740	586	490	271
24 OPzV 3000	4482	3888	2890	1937	1465	1192	1018	887	703	588	324

Watts to 1,70 VPC ( at 20°C )											
TYPE	15min	30min	1 h	2 h	3 h	4 h	5 h	6 h	8h	10 h	20 h
4 OPzV 200	450	319	188	129	96	77	66	57	46	39	21
5 OPzV 250	510	381	236	162	120	97	82	72	58	49	27
6 OPzV 300	594	458	281	195	144	116	99	86	69	59	33
5 OPzV 350	639	493	326	230	170	137	117	102	82	69	39
6 OPzV 420	712	575	385	272	203	165	140	122	99	82	47
7 OPzV 490	771	641	449	316	238	192	164	142	115	96	54
6 OPzV 600	896	764	549	388	292	235	201	174	141	118	67
8 OPzV 800	1392	1097	746	516	387	313	267	232	188	157	89
10 OPzV 1000	1649	1371	933	648	489	397	334	290	234	195	111
12 OPzV 1200	1819	1553	1101	775	577	475	402	349	280	235	133
12 OPzV 1500	2012	1770	1297	955	731	596	511	445	354	296	164
16 OPzV 2000	2682	2360	1730	1275	974	796	679	593	471	395	219
20 OPzV 2500	3354	2951	2162	1593	1218	995	850	742	590	493	272
24 OPzV 3000	4024	3541	2595	1912	1461	1194	1019	889	707	592	327

Watts to 1,75 VPC ( at 20°C )											
TYPE	15min	30min	1 h	2 h	3 h	4 h	5 h	6 h	8h	10 h	20 h
4 OPzV 200	413	301	186	127	93	77	65	57	46	39	22
5 OPzV 250	472	357	235	159	117	96	81	71	58	49	28
6 OPzV 300	544	429	279	192	140	115	98	85	69	58	34
5 OPzV 350	577	460	319	223	161	136	116	101	82	69	40
6 OPzV 420	640	525	379	262	196	163	139	121	98	82	48
7 OPzV 490	691	579	443	306	229	189	162	141	115	96	55
6 OPzV 600	789	693	541	375	279	232	198	172	141	117	68
8 OPzV 800	1247	990	741	500	372	309	264	230	188	157	91
10 OPzV 1000	1479	1238	921	629	466	391	330	287	233	196	113
12 OPzV 1200	1625	1391	1085	751	559	470	398	345	280	234	136
12 OPzV 1500	1791	1575	1273	923	693	590	505	439	353	295	167
16 OPzV 2000	2388	2100	1697	1231	924	787	673	587	471	394	223
20 OPzV 2500	2985	2625	2121	1537	1154	983	840	734	590	493	279
24 OPzV 3000	3582	3150	2546	1845	1385	1161	970	871	708	590	334

**TAB OPzV RANGE  
CONSTANT POWER DISCHARGE DATA**

Watts to 1,80 VPC ( at 20°C )											
TYPE	15min	30min	1 h	2 h	3 h	4 h	5 h	6 h	8h	10 h	20 h
4 OPzV 200	368	281	190	125	90	73	64	56	46	39	22
5 OPzV 250	428	338	245	158	113	91	80	70	58	49	28
6 OPzV 300	492	393	285	188	135	110	96	84	69	59	34
5 OPzV 350	507	407	306	220	154	129	114	100	82	68	40
6 OPzV 420	560	466	363	251	188	155	137	120	98	82	47
7 OPzV 490	600	513	407	294	218	181	159	140	114	96	55
6 OPzV 600	682	612	492	359	265	221	193	171	140	117	68
8 OPzV 800	1059	893	689	480	353	296	261	228	187	157	90
10 OPzV 1000	1269	1092	862	603	449	373	325	285	232	196	113
12 OPzV 1200	1395	1223	983	721	535	448	390	342	279	240	136
12 OPzV 1500	1477	1364	1160	881	664	563	497	437	352	293	167
16 OPsV 2000	1969	1819	1546	1173	867	750	662	582	469	391	221
20 OPzV 2500	2461	2273	1933	1467	1121	938	775	707	586	491	278
24 OPzV 3000	2953	2728	2320	1760	1318	1124	946	855	703	587	333

Watts to 1,85 VPC ( at 20°C )											
TYPE	15min	30min	1 h	2 h	3 h	4 h	5 h	6 h	8h	10 h	20 h
4 OPzV 200	311	245	174	116	87	71	61	53	43	36	20
5 OPzV 250	364	294	217	143	109	89	76	67	53	45	26
6 OPzV 300	412	342	253	172	131	106	91	80	64	54	31
5 OPzV 350	429	354	264	191	146	122	105	92	75	63	37
6 OPzV 420	457	391	307	223	175	146	126	111	90	76	44
7 OPzV 490	483	427	348	259	204	170	147	129	105	89	52
6 OPzV 600	558	509	414	318	250	209	180	158	129	109	63
8 OPzV 800	871	732	580	424	332	278	239	210	172	145	84
10 OPzV 1000	1033	915	725	530	416	347	300	264	215	181	105
12 OPzV 1200	1130	1022	828	625	500	418	360	317	258	218	126
12 OPzV 1500	1164	1072	916	715	582	499	433	386	314	263	151
16 OPsV 2000	1473	1430	1221	954	774	664	578	513	419	352	202
20 OPzV 2500	1843	1787	1526	1192	969	831	722	643	524	439	251
24 OPzV 3000	2210	2145	1831	1431	1161	996	867	770	626	527	302

Watts to 1,90 VPC ( at 20°C )											
TYPE	15min	30min	1 h	2 h	3 h	4 h	5 h	6 h	8h	10 h	20 h
4 OPzV 200	238	198	146	99	76	63	53	47	37	32	17
5 OPzV 250	278	239	180	123	96	79	67	58	47	40	23
6 OPzV 300	303	265	209	147	115	95	80	70	56	48	28
5 OPzV 350	316	279	213	157	123	104	90	79	65	56	33
6 OPzV 420	329	301	244	182	148	125	108	95	78	67	40
7 OPzV 490	344	321	272	212	172	145	126	111	91	78	46
6 OPzV 600	396	370	330	261	212	178	154	136	112	96	56
8 OPzV 800	603	551	468	347	281	237	206	181	149	128	75
10 OPzV 1000	716	679	585	434	351	298	257	227	186	160	94
12 OPzV 1200	778	721	637	508	419	356	307	271	222	192	113
12 OPzV 1500	814	773	710	571	476	408	358	322	271	230	133
16 OPsV 2000	1047	1030	971	760	633	545	478	430	361	307	177
20 OPzV 2500	1309	1288	1214	951	792	681	597	537	450	384	221
24 OPzV 3000	1570	1545	1456	1141	949	817	717	644	542	461	265